ARTIMIS Partnerships



for the
2002 NATMEC
in Orlando, Florida
by
Rob Bostrom, P.E.
Division of
Multimodal Programs

Presentation Overview

- ARTIMIS Background/FAQs
- Archived Data
 - Original Archived Data Plan
 - Revised Archived Data Plan
 - Related Data Archiving Activities
- Future Directions

ARTIMIS: Background

- The Advanced Regional Traffic Interactive Management & Information System
- Cincinnati-Northern Kentucky Region
- Incident, congestion & freeway management
- 88 miles of highways
- Started in 1995, Feasibility Study in 1987,
- Preliminary Design in 1993
- 1st major ITS effort in Ohio & 2nd in KY




The Advanced Regional Traffic Interactive Management & Information System

- Policy Committee: KYTC, ODOT, OKI, Cincy, NKY Plan Comm., FHWA
- Funded primarily via CMAQ, also CVS (vans),
- 80+ cameras, 57 miles fiber, 1100 detectors, 40 fixed DMSs, 2 HARs, 5 patrol vans, Control Center in Downtown Cincy
- Travel Advisory Number: 511
- Web site: http://www.artimis.org/

ARTIMIS Goals

- Improving
 - motorist safety
 - -travel times
 - air quality




Traffic Conditions



Archived Data Plan

- Original Plan
 - Card 3 (FHWA Traffic Volume)
 - Card C (FHWA Vehicle Classification)
- Also Segment and Incident Files
- Data Provided via CD
- No real quality control



Current Data Files

- Card 3 File: Volume by direction/lane for all locations per hour in FHWA format
- Segment File: Speed, volume, occupancy, sample percentage per 15 minutes, 24-hour file
- Incident Snapshot File: Speed, volume, occupancy per 30 seconds, 15-minute file
- Card C File: Vehicle classification by direction/lane per hour.

Traffic Monitoring Guide



Office of Highway Policy Information

Additions to Original Plan

- Data available at ftp site for each month: ftp://208.237.57.131/
- Vehicle classification data collection with axle sensors failing
- High amount of missing data due to loop failures and polling failures
- Card 3 has construction flag in last field
 - Analysis primarily with Excel & SAS

Revised Data Archiving Plan

- New Data Formats
 - V Card
 - S Card
 - L Card
- Computer Programming
 - Pre Designed Queries & Reports
- Data Web Page
- Data Collection Investigation: 170s vs. TMS equipment
- GIS Coverage

New Data Cards


- New data cards may be basis for other ITS systems in KY & OH & other states(?)
- L-Card
 - Length-based vehicle classification
 - 24 sites with double loops
 - Data in 60-minute increments by lane
 - KYTC may convert to 13-bin FHWA format for submittal to OHPI

Length Based Classification Boundaries

Primary Description of Vehicles Included in the	Lower Length Bound	Upper Length Bound
Class	>	< or =
Passenger vehicles (PV)	0 m (0 ft)	3.96 m (13 ft)
Single unit trucks (SU)	3.96 m (13 ft)	10.67 m (35 ft)
Combination trucks (CU)	10.67 m (35 ft)	18.59 m (61 ft)
Multi-trailer trucks (MU)	18.59 m (61 ft)	36.58 m (120 ft)

New Data Cards

- S-Card
 - Speed data
 - Data in 60-minute increments
- V-Card
 - Volume data
 - Similar to existing Card 3 format
 - Data in 5-minute increments by lane
 - Use of TTI quality control checks



Revised Data Archiving Plan

- Computer programming
 - Create new data formats
 - Create pre-designed queries/reports
- Data web page
 - Queries/reports for historical data
 - ADTs
 - Truck percentages
 - Speed summaries
 - Queuing/delay data
 - Downloads
 - Good example:



Revised Data Archiving Plan

- Equipment Investigation
 - 170s not good on classification data
 - Use off the shelf traffic counter
 - Need to collect occupancy data
- GIS Coverage
 - Spatial analysis could maximize value of archived data
 - Obstacles: different software (3 different agencies), Operations typically doesn't use GIS

Related Data Archiving Activities

- Mobility Monitoring Study: TTI & Cambridge Systematics
- ASTM Standards: Development of Traffic Monitoring Archived Data Standards
- FHWA Analysis of ARTIMIS Data: Office of Highway Policy Information
- Feedback to Other ITS Systems in Area: TRIMARC, Central Kentucky
- Research: KYTC on archived data; TRB (maybe) on speed monitoring

Mobility Monitoring Study

- FHWA Sponsored, Research by TTI and Cambridge Systematics
- Real-time traffic data from 10 TOCs in 2000 including ARTIMIS
- Production of mobility and reliability measures
- Cambridge also did SAS analysis of traffic volumes for KYTC
- http://mobility.tamu.edu/mmp/

Mobility Monitoring Study

- Quality feedback
 - Data 42% complete

- Data processed 38% complete

 Performance measures likely to supplement traditional v/c ratio in KY




Exhibit B-5. Delay by Day of Week

Mobility and Reliability Data





Exhibit B-7. Mobility and Reliability Measures by Time of an Average Day


ASTM Guide for ITS Data Archiving

- Benefits of data archiving
- Data definitions
- Quality standards
- Audiences:
 - Novice/decision maker
 - Intermediate
 - Advanced
- Case studies





FHWA Analysis of ARTIMIS Data



Feedback to Other ITS Systems

- ARTIMIS archived data plan will be the blueprint for both Kentucky and Ohio ITS system
 - Other ITS systems "watching" ARTIMIS:
 - TRIMARC Louisville Freeway
 Management System
 - Columbus Freeway ManagementSystem
 - Central Kentucky Congestion
 Management System





Future Activities

- Implement New ARTIMIS Archived Data Plan: data formats, web page, GIS coverage, new equipment (?)
- Use of Mobility Performance Measures
- Feedback to other ITS Regional Management Systems
- Expansion of ARTIMIS: more interstate plus major arterial (US 25/US 42)

The Partners

- ODOT: David Gardner, Traffic Monitoring; George Saylor, ITS
- KYTC: Rob Bostrom, Archived Data; Dan Inabnitt, Traffic Monitoring; Nancy Albright, ITS
- OKI: Dory Montazemi, ITS
- FHWA: Ralph Gillman and Jeff Patten, Traffic Monitoring
- City of Cincinnati
- TRW: Scott Evans, ARTIMIS Project Manager











Conclusion

- Thank you for your attention!
- If you have questions or comments, please send email to:
 - rob.bostrom@mail.state.ky.us
 - dgardner@dot.state.oh.us
 - scott.evans@trw.com